

Catalogue No.E146



Workstation / Tool Cabinet / Workbench
Locker / Trolley / Parts Cabinet / Hanger Rack



— SINCE 1975 —

Index

1

Modular Workstation

Professional	4
Classic	6

2

Workbench

Performance	9
Professional	10
Heavy Duty	12
Stainless Steel	17
Accessories	18

3

Tool Cabinet

Standard	21
Heavy Duty	24
CNC Tool	26
Trolley / Tilt Out Bins Cart	30

4

Mould Rack

Mould Rack	35
------------	----

5

Hanger Rack

Display Stand	37
Hanger Rack	38

6

Perforated Board

Perforated Board	41
Accessories	41

7

Locker

Locker	44
--------	----

8

Documents & Parts Cabinet/ Bin

Documents Cabinet	47
Parts Cabinet	48
Tilt Out Bin / Team Case	50
Team Bin / Hanging Bin	51



Modular Workstation

Cabinet H970



RPW-09S + RA-9091

W900xD510xH970

Loading : 100kg / shelf

Shelf x2



RPW-06S + RA-6091

W620xD510xH970

Loading : 100kg / shelf

Shelf x2

Tool Cabinet



RPW-06S + RB-6098

W620xD510xH970

Loading : 45kg / drawer



RPW-06S + RC-6094

W620xD510xH970

Loading : 45kg / drawer



EGL-177M

W755xD510xH850

Loading : 45kg / drawer

Wastebin Cabinet



RPW-06S + RG-6091

W620xD510xH970

Cabinet H2020



Storage cabinet

RA-9201

W900xD510xH2020

Loading : 100kg / shelf

Shelf x4



Suitable W900 cabinet

1 Adjustable shelf

RPB-92

W733xD444

Loading : 45kg / shelf

2 Drawer set

RPB-91

W863xD425xH312

Loading : 45kg / drawer



Storage cabinet

RA-6201

W620xD510xH2020

Loading : 100kg / shelf

Shelf x4



Clothes locker

RE-6201

W620xD510xH2020

Loading : 100kg / shelf

Closet rod x1, Shelf x2

Sink Cabinet



RD-6091

W620xD510xH1220

Desktop



Wood top

EDAB-062505

W620xD500xH50

EDAB-090505

W900xD500xH50



Stainless steel top

RPW-06S

W620xD500xH50

RPW-09S

W900xD500xH50

RPW-12S

W1240xD500xH50

Stiffening Plate



RPW-06D

W620xD500xH40

RPW-09D

W900xD500xH40

A stiffening plate is needed while choosing the wood top without cabinet underneath.

Pole




RPA-1

W40xD30xH1950

2 sets

Panel



With socket

RPQ-6063A

W610xD45xH645

RPQ-9063A

W890xD45xH645

RPQ-6103A

W610xD45xH1045

RPQ-9103A

W890xD45xH1045

Universal socket (110V~220V) x2

Power plugs not included.

With water baffle

RPQ-6062

W610xD24xH645

RPQ-6102

W610xD24xH1045

Wall Cabinet



RPH-61

W620xD330xH400



RPH-91

W900xD330xH400


Combination



Combination 1

RY-01SA W1240xD540XH2020


1 RPH-61 Wall cabinet x1	2 RPH-61 Wall cabinet x1
RPQ-6063A Panel with socket x1	RPQ-6063A Panel with socket x1
RB-6098 Tool cabinet x1	RA-6091 Storage cabinet x1
RPW-12S Stainless steel top x1 (1,2 shared)	
Includes RPA-1 pole x2 (4 pcs)	



Combination 2

RY-02SA W2140xD540XH2020


1 RA-9201 Storage cabinet x1	3 RPH-61 Wall cabinet x1
2 RPH-61 Wall cabinet x1	RPQ-6063A Panel with socket x1
RPQ-6063A Panel with socket x1	RPQ-6063A Panel with socket x1
RA-6091 Storage cabinet x1	RB-6098 Tool cabinet x1
RPW-12S Stainless steel top x1 (2,3 shared)	
Includes RPA-1 pole x2 (4 pcs)	



Combination 3

RY-03SA W2760xD540XH2020

1 RPH-61 Wall cabinet x1	2 RPH-61 Wall cabinet x1
RPQ-6063A Panel with socket x1	RPQ-6063A Panel with socket x1
RB-6098 Tool cabinet x1	RC-6094 Tool cabinet x1
RPW-12S Stainless steel top x1 (1,2 shared)	
3 RPH-91 Wall cabinet x1	4 RPH-61 Wall cabinet x1
RPQ-9063A Panel with socket x1	RPQ-6063A Panel with socket x1
RPW-09S Stainless steel top x1	RPW-06S Stainless steel top x1
RA-9091 Storage cabinet x1	RA-6091 Storage cabinet x1
Includes RPA-1 pole x4 (8 pcs)	



Combination 4

RY-04SA W3660xD540XH2020

1 RPH-91 Wall cabinet x1	2 RPH-61 Wall cabinet x1
RPQ-9063A Panel with socket x1	RPQ-6063A Panel with socket x1
RPW-09S Stainless steel top x1	RA-6091 Storage cabinet x1
RA-9091 Storage cabinet x1	4 RPH-91 Wall cabinet x1
3 RPH-61 Wall cabinet x1	RPQ-9063A Panel with socket x1
RPQ-6063A Panel with socket x1	RPW-09S Stainless steel top x1
RC-6094 Tool cabinet x1	EGL-177M Tool cabinet x1
RPW-12S Stainless steel top x1 (2,3 shared)	
5 RE-6201 Clothes locker x1	
Includes RPA-1 pole x4.5 (9 pcs)	

Cabinet H1780



SAQ-361

W900xD515xH1780



SAA-361

W900xD515xH1780

Loading : 200kg / shelf

Shelf x4



SAQ-362

W900xD515xH1780

Loading : 45kg / drawer



SAA-362

W900xD515xH1780

Loading : 45kg / drawer
200kg / shelf

Shelf x3

Cabinet H900



SAA-331

W900xD515xH900

Loading : 200kg / shelf

Shelf x2



SAA-231

W600xD515xH900

Loading : 200kg / shelf

Shelf x2

Tool Cabinet



SAB-331

W900xD515xH900

Loading : 45kg / drawer
100kg / shelf

Shelf x2



SG-23071

W600xD510xH900

Loading : 45kg / drawer


Wastebin Cabinet



SAG-231

W600xD515xH900

Drawer Rack



Independent

SCA-361

W970xD500xH1780

Loading : 100kg / shelf

Drawer x60



Linkable

SCB-361

W900xD500xH1780

Loading : 100kg / shelf

Drawer x60

Drawer x30, Shelf x1

Modular Rack




Independent

SCC-461

W1370xD500xH1780

Loading : 200kg / shelf

Shelf x2



Linkable

SCC-462

W1300xD500xH1780

Loading : 200kg / shelf

Shelf x2

Desktop



Steel top

SPW-3

W900xD500xH50

SPW-4

W1200xD500xH50



Stainless steel top


SPW-3S

W900xD500xH50

SPW-4S

W1200xD500xH50

Panel



SPQ-32A

W900xD325xH825

Panel : W900xH825mm
Shelf : W895xD300xH28mm

SPQ-33A

W1200xD325xH825

Panel : W1200xH825mm
Shelf : W1195xD300xH28mm

SPQ-42A

W1200xD325xH825

Panel : W1200xH825mm
Shelf : W1195xD300xH28mm

SPQ-43A

W1200xD325xH825

Panel : W1200xH825mm
Shelf : W1195xD300xH28mm

Pole




SPA-1

W74xD40xH1757

Power plugs not included.

Combination



Combination A

SY-01A W3000xD555XH1780

1 SAA-361 Storage cabinet x1

2 SPQ-33A Panel set with light x1

SPW-3 Steel top x1

SAA-331 Storage cabinet x1

3 SPQ-43A Panel set with light x1

SPW-4 Steel top x1

SAG-231 Wastebin cabinet x1

SG-23071 Tool cabinet x1

Includes **SPA-1** pole x3



Combination B

SY-02A W3000xD555XH1780

1 SAA-361 Storage cabinet x1

2 SPQ-43A Panel set with light x1

SPW-4 Steel top x1

EGA-7041M Tool cabinet is optional, refer to P21

3 SPQ-33A Panel set with light x1

SPW-3 Steel top x1

SAA-331 Storage cabinet x1

Includes **SPA-1** pole x3



Combination C

SY-03A W2100xD555XH1780

1 SAA-361 Storage cabinet x1


2 SPQ-43A Panel set with light x1

SPW-4 Steel top x1

SAG-231 Wastebin cabinet x1

SG-23071 Tool cabinet x1

Includes **SPA-1** pole x2



Combination D

SY-04A W1800xD555XH1780

1 SAA-361 Storage cabinet x1

2 SPQ-33A Panel set with light x1

SPW-3 Steel top x1

SAA-331 Storage cabinet x1

Includes **SPA-1** pole x2

Unit of measurement : mm



Workbench



18mm
wood top


With
leveler screws



Extra shelf for extra
storage space



Perforated board
can be used with
all tanko hangers
[Refer to P41~P43](#)



Cable grommet



WE-47W	W1200xD600xH750
WE-58W	W1500xD750xH800



WE-47W3	W1200xD620xH1355
WE-58W3	W1500xD770xH1710



WE-47W4	W1200xD620xH1355
WE-58W4	W1500xD770xH1710
WE-47W5	W1200xD620xH1355 Light WP-9003
WE-58W5	W1500xD770xH1710 Light WP-9003 + WP-9004



WET-4102W	W1200xD610xH750
WET-5102W	W1500xD760xH800



WET-4102W3	W1200xD625xH1355
WET-5102W3	W1500xD775xH1710



WET-4102W4	W1200xD625xH1355
WET-5102W4	W1500xD775xH1710
WET-4102W5	W1200xD625xH1355 Light WP-9003
WET-5102W5	W1500xD775xH1710 Light WP-9003 + WP-9004

Workbench-Top Type	Dimensions	Features
N Rubber top 	W1500 W1800 x D750 x H30	High density fiberboard(HDF) covered with green rubber mat on top and PVC protection on four edges.
F Laminate top 	W1500 W1800 x D750 x H30	Plywood top covered with gray laminate and PVC protective edges, great performance in high temperature environment.
W Wood top 	W1500 W1800 x D750 x H30	Finger-jointed rubber wood to ensure high durability.



 600kg load capacity



Various types of drawer / base designs



With leveler screws




Perforated board can be used with all tanko hangers
Refer to P41~43



Standard

Dimensions	Rubber top N	Laminate top F	Wood top W
W1500xD750xH800	WB-57N	WB-57F	WB-57W
W1800xD750xH800	WB-67N	WB-67F	WB-67W



Loading : 50kg / drawer

Drawers

Dimensions	Rubber top N	Laminate top F	Wood top W
W1500xD750xH800	WBT-5203N	WBT-5203F	WBT-5203W
W1800xD750xH800	WBT-6203N	WBT-6203F	WBT-6203W



ES-13022 cabinet

Dimensions : W400xD607xH300

Loading : 45kg / drawer

Hanging Cabinet

Dimensions	Rubber top N	Laminate top F	Wood top W
W1500xD750xH800	WBS-53022N	WBS-53022F	WBS-53022W
W1800xD750xH800	WBS-63022N	WBS-63022F	WBS-63022W



EGA-7041 tool cabinet

Loading : 45kg / drawer [Refer to P21](#)

Perforated panels are optional, please refer to [P18](#)



Tool Cabinet

Dimensions	Rubber top N	Laminate top F	Wood top W
W1500xD750xH1400	WB-57N6A	WB-57F6A	WB-57W6A
W1800xD750xH1400	WB-67N6A	WB-67F6A	WB-67W6A



W566xD510xH700	EGA-7041
----------------	-----------------

Power plugs not included.

Workbench-Top Type	Dimensions	Features
N Rubber top 	W1500 W1800 x D750 x H50 W2100	High density fiberboard(HDF) covered with green rubber mat on top and PVC protection on four edges.
F Laminate top 	W1500 W1800 x D750 x H50 W2100	Plywood top covered with gray laminate and PVC protective edges, great performance in high temperature environment.
W Wood top 	W1500 W1800 x D750 x H50 W2100	Finger-jointed rubber wood to ensure high durability.
S Stainless steel top 	W1500 W1800 x D750 x H50 W2100	High density material covered with 1.2mm stainless steel sheet.
T Tanko top 	W1500 x D750 x 36 (TG) W1800 x D750 x 43 (TH)	Multi-layer laminate and PVC protection on four edges.
A Benchwork top 	W1500 x D750 x H50 W1800	36mm base material covered with 9mm steel plate.
P.Q Steel top 	W1200 W1500 x D750 x H50 W1800	Made from 2mm steel, covered with 10mm black rubber mat(P) or 12mm PVC mat(Q).



Various types of drawer / base designs




With leveler screws



Perforated panels are optional
Refer to P18

KG 2000kg load capacity
KG 1000kg load capacity (Mobile type)

Workbench-top types Refer to P12



Rubber top



Laminate top



Wood top



Stainless steel top




(TG)H36mm
(TH)H43mm



Standard

Workbench-top	N	F	S	W	TG	TH
Dimensions	WxDxH				WxDxH	
WA-56	—				1500x650x786	1500x650x793
WA-57	1500	750	800	800	1500x750x786	1500x750x793
WA-67	1800	750	800	800	1800x750x786	1800x750x793
WA-77	2100	750	800	800	—	—



With undershelf


Mobile

Workbench-top	N	F	S	W	TG	TH
Dimensions	WxDxH				WxDxH	
WA-57M	1500	750	850	850	1500x750x836	1500x750x843
WA-67M	1800	750	850	850	1800x750x836	1800x750x843


Model No. WA-57 **N** / **F** Workbench-top types

Unit of measurement : mm

Workbench-top types [Refer to P12](#)



2000kg load capacity



Loading : 50kg / drawer

Drawers


Workbench-top	N	F	S	W	TG	TH
Dimensions	WxDxH				WxDxH	
WAT-5203 ☐	1500x750x800				1500x750x786	1500x750x793
WAT-6203 ☐	1800x750x800				1800x750x786	1800x750x793



Cabinet dimensions : W566xD607xH380
Loading : 100kg / drawer [Refer to P24](#)

Hanging Cabinet


Workbench-top	N	F	S	W	TG	TH
Dimensions	WxDxH				WxDxH	
WAS-54031 ☐	1500x750x800				1500x750x786	1500x750x793
WAS-64031 ☐	1800x750x800				1800x750x786	1800x750x793
WAS-74031 ☐	2100x750x800				—	—



Cabinet dimensions : W566xD607xH700
Loading : 100kg / drawer [Refer to P25](#)

Tool Cabinet

Workbench-top	N	F	S	W	TG	TH
Dimensions	WxDxH				WxDxH	
WAS-57042 ☐	1500x750x800				1500x750x786	1500x750x793
WAS-67042 ☐	1800x750x800				1800x750x786	1800x750x793
WAS-77042 ☐	2100x750x800				—	—



Cabinet dimensions : W566xD607xH700
Loading : 100kg / drawer [Refer to P25](#)

Double Tool Cabinet


Workbench-top	N	F	S	W
Dimensions	WxDxH			
WAD-77042 ☐	2100x750x800			

Benchwork top

Refer to P12




2000kg load capacity
With undershelf



Standard


Dimensions	A Benchwork top
W1500xD750xH800	WA-57A
W1800xD750xH800	WA-67A



Loading : 50kg / drawer

Drawers

Dimensions	A Benchwork top
W1500xD750xH800	WAT-5203A
W1800xD750xH800	WAT-6203A



Cabinet dimensions : W566xD607xH380
Loading : 100kg / drawer [Refer to P24](#)

Hanging Cabinet

Dimensions	A Benchwork top
W1500xD750xH800	WAS-54031A
W1800xD750xH800	WAS-64031A



Cabinet dimensions : W566xD607xH700
Loading : 100kg / drawer [Refer to P25](#)

Tool Cabinet

Dimensions	A Benchwork top
W1500xD750xH800	WAS-57042A
W1800xD750xH800	WAS-67042A

Heavy Duty Workbench

DIY Product

Steel top

Refer to P12



P : 10mm Rubber mat
Q : 12mm PVC mat



Perforated panels
are optional
Refer to P18



EA-7042 Refer to P25



EGA-7041 Refer to P21



2000kg load capacity



Standard

Steel-top	P	Q
Dimensions	WxDxH	WxDxH
WD-48 ☐	1224x775x810	1224x775x812
WD-58 ☐	1524x775x810	1524x775x812
WD-68 ☐	1824x775x810	1824x775x812



Hanging Cabinet

Loading : 45kg / drawer

Steel-top	P	Q
Dimensions	WxDxH	WxDxH
WD-4801 ☐	1224x775x810	1224x775x812
WD-5801 ☐	1524x775x810	1524x775x812
WD-6801 ☐	1824x775x810	1824x775x812



Loading : 45kg / drawer

Two Drawers

Steel-top	P	Q
Dimensions	WxDxH	WxDxH
WDT-4202 ☐	1224x775x810	1224x775x812

Three Drawers

Steel-top	P	Q
Dimensions	WxDxH	WxDxH
WDT-5203 ☐	1524x775x810	1524x775x812
WDT-6203 ☐	1824x775x810	1824x775x812

Model No. WD-58 ☐ P / ☐ Q Workbench-top types

Unit of measurement : mm

Stainless Steel Workbench



KG 600kg load capacity



Various types of drawer / base designs



With leveler screws



Perforated panels are optional
Refer to P18



WD-48S	W1217xD768xH800
WD-58S	W1517xD768xH800
WD-68S	W1817xD768xH800



Loading : 35kg / drawer

Two Drawers

WDT-4202S	W1217xD768xH800
-----------	-----------------


Three Drawers

WDT-5203S	W1517xD768xH800
WDT-6203S	W1817xD768xH800

Workbench Accessories


Panel Set

For both professional and heavy duty workbenches




WQ-52 W1502xD202xH603

WQ-62 W1802xD202xH603



WQ-53 W1502xD325xH603

WQ-63 W1802xD325xH603




WQ-54A W1502xD202xH603

WQ-64A W1802xD202xH603

Universal socket (110V~220V) x4

Power plugs not included




WQ-55A W1502xD325xH603

WQ-65A W1802xD325xH603

Universal socket (110V~220V) x4

Power plugs not included



WQ-56A W1502xD325xH603

WQ-66A W1802xD325xH603

Universal socket (110V~220V) x4

LED light (20W) x1

Power plugs not included



WQ-67A W1780xD450xH564


Parts cabinet (W218xD420xH540) x2

Universal socket (110V~220V) x4

LED light (20W) x1

Power plugs not included


For steel top workbench



WQD-43 W1217xD320xH658

WQD-53 W1517xD320xH658

WQD-63 W1817xD320xH658



WQD-46A W1217xD320xH658 10W


WQD-56A W1517xD320xH658 20W

WQD-66A W1817xD320xH658 20W

Universal socket (110V~220V) x4

LED light (10W/20W) x1

Power plugs not included



WQD-49A W1217xD320xH958 10W

WQD-59A W1517xD320xH958 20W


WQD-69A W1817xD320xH958 20W

Universal socket (110V~220V) x4

LED light (10W/20W) x1

Power plugs not included

For stainless steel workbench



WQD-42S W1209xD202xH645

WQD-52S W1509xD202xH645

WQD-62S W1809xD202xH645



WQD-43S W1209xD320xH645

WQD-53S W1509xD320xH645

WQD-63S W1809xD320xH645



WQD-47S W1209xD320xH945

WQD-57S W1509xD320xH945

WQD-67S W1809xD320xH945

Unit of measurement : mm

Undershelf



For heavy duty workbench

WP-41	W1400xD509xH30
WP-42	W1700xD509xH30
WP-43	W2000xD509xH30



For steel top workbench

WDP-14	W1200xD660xH30
WDP-15	W1500xD660xH30
WDP-16	W1800xD660xH30



For stainless steel workbench

WDP-14S	W1200xD655xH30
WDP-15S	W1500xD655xH30
WDP-16S	W1800xD655xH30

Shelf



KP-19	W1500xD300
KP-20	W1800xD300
KP-21	W2100xD300

Air Coupling



WP-9021	2 holes
----------------	---------

Socket



WP-9013A	110V~220V
-----------------	-----------

Light



LED light

WP-9002	W1150xD22xH39
20W	

Workbench Seating



WP-625011	W 350 D 350 H 480
------------------	-------------------------



WP-625023	W 350 D 350 H 500~640
------------------	-----------------------------



Ultra thin LED light

WP-9003	WP-9004
W604xD32xH7	W604xD32xH7
15W	15W

WP-9003 can be extended with WP-9004



WP-61301	W 330 (Cushion) D 600 H 400~510
-----------------	---------------------------------------



WP-61102	W 430 D 490~530 H 810~925
-----------------	---------------------------------



Tool Cabinet

Chamfer design
to reduce injury

PVC mat



4"PU castors
(EGA/EGM)

5"PU castors
(EGL)




Steel
handle



With lock



Drawer latch



Division boxes and
dividers are optional
[Refer to P22](#)

 **Loading : 45kg / drawer**

EGA Tool Cabinet



EGA-7041

W566xD510xH700



EGA-10061

W566xD510xH1000



EGA-10091

W566xD510xH1000



EGA-5041M

W568xD510xH690



EGA-7041M

W650xD510xH845

EGM Tool Cabinet



EGM-1703M

W1255xD510xH847

Loading : 60kg / shelf

Shelf x1



EGM-1703MA

W1255xD510xH1300

Loading : 60kg / shelf

Shelf x1, KPQ-B x1 set



EGM-1705M

W1255xD510xH847

Loading : 60kg / shelf

Shelf x1



EGM-1705MA

W1255xD510xH1300

Loading : 60kg / shelf

Shelf x1, KPQ-B x1 set

EGL Tool Cabinet

Loading : 45kg / drawer



EGL-185M

W845xD510xH986



EGL-187M

W845xD510xH986



EGL-185MA

W845xD510xH1441

KPQ-B x1 set



EGL-187MA

W845xD510xH1441

KPQ-B x1 set


Accessories For EGA / EGL / EGM tool cabinet

Division Boxes




▲ Application

Division boxes configuration



EGA types




EGL / EGM types

Drawer Height 75mm		Drawer Height 100mm	
TK-8721	W74xD74xH45	TK-8731	W74xD74xH70
TK-8722	W148xD74xH45	TK-8732	W148xD74xH70
TK-8723	W148xD148xH45	TK-8733	W148xD148xH70

Adjustable Partitions



▲ Application



For EGA tool cabinet

Model No.	EGPA-3	EGPA-4	EGPA-5
Drawer Height	100mm	150mm	200mm
divider x2 / rear frame x1 / front frame x1			

For EGL / EGM tool cabinet

Model No.	EGPL-2	EGPL-3	EGPL-4
Drawer Height	75mm	100mm	150mm
divider x2 / rear frame x1 / front frame x1			

Top Chest



For EGL tool cabinet



EGP-03L

W663xD518xH120

PVC mat x1

For EGM tool cabinet




EGP-03M

W1073xD518xH120

PVC mat x1

Side panel



For EGL / EGM tool cabinet



EGQ-02A


W482xH500

Can be assembled on both sides of the cabinet.


Unit of measurement : mm



With lock



Drawer latch



1st drawer with division boxes, the rest with dividers.

KG Loading : 50kg / drawer

ELA Tool Cabinet



ELA-185M

W690xD510xH1010



ELA-185MA

W690xD510xH1475

KPQ-B x1 set



ELA-187M

W690xD510xH1010



ELA-187MA

W690xD510xH1475

KPQ-B x1 set

ELS Tool Cabinet



ELS-274M

W1060xD515xH865

Loading : 60kg / shelf

Shelf x1



ELS-274MA

W1060xD515xH1340

Loading : 60kg / shelf

Shelf x1, KPQ-B x1 set



ELS-276M

W1060xD515xH865

Loading : 60kg / shelf

Shelf x1



ELS-276MA

W1060xD515xH1340

Loading : 60kg / shelf

Shelf x1, KPQ-B x1 set

Heavy Duty Tool Cabinet

 PATENTED




Drawer Features ▼


1. Bearing slide



Standard drawer
90% extension
100kg load capacity



T drawer
100% extension
200kg load capacity



2. Drawer layout



1st drawer
With division boxes (Red:ABS)
Black (PP/anti-static) is optional.



The other drawers
With adjustable dividers

Accessories

Top Chest



For EA tool cabinet

EP-0533

W566xD631xH120

PVC mat x1

For EB tool cabinet

EP-0543

W718xD631xH120

PVC mat x1

For ED tool cabinet

EP-0544

W718xD783xH120

PVC mat x1

Tool Cabinet

Loading : 100kg / standard drawer
200kg / T drawer

100 100(T) 150(T) 250(T)	EA-7042(T) W566xD607xH700	100 100(T) 100(T) 150(T) 150(T)	EA-7051(T) W566xD607xH700	100 100(T) 100(T) 100(T) 100(T) 100(T)	EA-7061(T) W566xD607xH700
	EB-7042(T) W718xD607xH700		EB-7051(T) W718xD607xH700		EB-7061(T) W718xD607xH700
100 150(T) 150(T) 150(T) 150(T) 200(T)	EA-10062(T) W566xD607xH1000	75 75 100(T) 100(T) 150(T) 150(T) 250(T)	EA-10073(T) W566xD607xH1000	100 100(T) 100(T) 100(T) 100(T) 100(T) 100(T) 100(T)	EA-10091(T) W566xD607xH1000
	EB-10062(T) W718xD607xH1000		EB-10073(T) W718xD607xH1000		EB-10091(T) W718xD607xH1000
	ED-10062(T) W718xD759xH1000		ED-10073(T) W718xD759xH1000		ED-10091(T) W718xD759xH1000
200(T) 200(T) 200(T) 200(T) 300(T)	EA-12052(T) W566xD607xH1200	150(T) 150(T) 150(T) 150(T) 150(T) 200(T)	EA-12071(T) W566xD607xH1200	100 100(T) 100(T) 200(T) 200(T) 300(T)	EA-12074(T) W566xD607xH1200
	EB-12052(T) W718xD607xH1200		EB-12071(T) W718xD607xH1200		EB-12074(T) W718xD607xH1200
	ED-12052(T) W718xD759xH1200		ED-12071(T) W718xD759xH1200		ED-12074(T) W718xD759xH1200


Mobile Tool Cabinet

Loading : 100kg / drawer

100 100 150 250	EA-7042M W566xD640xH850	100 100 100 150 150	EA-7051M W566xD640xH850	100 100 150 250	EA-7042MA W566xD640xH1380
	EB-7042M W718xD640xH850		EB-7051M W718xD640xH850		EB-7042MA W718xD640xH1380



With lock



Drawer latch



Adjustable dividers

Drawer Tray (Qty)				
Holders		EA	EB	ED
BT-30		25 pcs	33 pcs	46 pcs
BT-40		23 pcs	28 pcs	39 pcs
BT-50		10 pcs	18 pcs	23 pcs
HSK-40		25 pcs	33 pcs	46 pcs
HSK-63		10 pcs	18 pcs	23 pcs

Upper Tray (Qty)				
Holders		EA	EB	ED
BT-30		36 pcs	53 pcs	72 pcs
BT-40		30 pcs	39 pcs	52 pcs
BT-50		23 pcs	28 pcs	33 pcs
HSK-40		36 pcs	53 pcs	72 pcs
HSK-63		20 pcs	28 pcs	33 pcs

CNC Tool Cabinet

Loading : 100kg / standard drawer , 200kg / T drawer

150
350T
(BT-40)
400T
(BT-40)



EA-10031-22N
W566xD607xH1000
EB-10031-22N
W718xD607xH1000
ED-10031-22N
W718xD759xH1000

100
400T
(BT-50)
400T
(BT-50)



EA-10032-33N
W566xD607xH1000
EB-10032-33N
W718xD607xH1000
ED-10032-33N
W718xD759xH1000

350T
(BT-40)
350T
(BT-40)
400T
(BT-40)



EA-12031-222N
W566xD607xH1200
EB-12031-222N
W718xD607xH1200
ED-12031-222N
W718xD759xH1200

Mobile CNC Tool Cabinet

Loading : 100kg / standard drawer , 200kg / T drawer

(BT-40)
100
150T
350T
(BT-40)



EA-7031-22MN
W566xD640xH994
EB-7031-22MN
W718xD640xH994
ED-7031-22MN
W718xD792xH994

(BT-50)
100
150T
350T
(BT-50)



EA-7031-33MN
W566xD640xH994
EB-7031-33MN
W718xD640xH994
ED-7031-33MN
W718xD792xH994

(BT-40)
150
350T
(BT-40)
400T
(BT-40)



EA-10031-222MN
W566xD640xH1291
EB-10031-222MN
W718xD640xH1291
ED-10031-222MN
W718xD792xH1291

Unit of measurement : mm

CNC Tool Cabinet



Adjustable




Handle with lock



Tool Holder Rack

Model No.	Holders	Holders Qty
ENP-61	BT-30 	10 pcs
ENP-62	BT-40 	10 pcs
ENP-63	BT-50 	7 pcs
ENP-66	HSK-40 	10 pcs
ENP-68	HSK-63 	7 pcs



Tool holder rack



CNC Tool Cabinet H900

Model No.	Holders	Holders Qty
SAN-331	BT-30 	30 pcs
SAN-332	BT-40 	30 pcs
SAN-333	BT-50 	21 pcs
SAN-336	HSK-40 	30 pcs
SAN-338	HSK-63 	21 pcs

W900 x D515 x H900

5 types of optional tool holders
With 3 tool holder racks

CNC Tool Cabinet H1780


Model No.	Holders	Holders Qty
SAN-361	BT-30 	60 pcs
SAN-362	BT-40 	60 pcs
SAN-363	BT-50 	42 pcs
SAN-366	HSK-40 	60 pcs
SAN-368	HSK-63 	42 pcs

W900 x D515 x H1780

5 types of optional tool holders
With 6 tool holder racks

ENS-1 CNC Trolley

 PATENTED



 400kg load capacity



A4 document holder



Tool holder racks work with side panels, facilitating the adjustment of position and angle.




4" PU castors

CNC Trolley		
Model No.	Holders	Holders Qty
ENS-112M	BT-30 	45 pcs
ENS-122M	BT-40 	43 pcs
ENS-132M	BT-50 	31 pcs
ENS-162M	HSK-40 	45 pcs
ENS-182M	HSK-63 	31 pcs
W1030 x D656 x H911		

Tool Holder Rack		
Model No.	Holders	Holders Qty
ENP-11	BT-30 	6 pcs
ENP-12	BT-40 	5 pcs
ENP-13	BT-50 	4 pcs
ENP-16	HSK-40 	6 pcs
ENP-18	HSK-63 	4 pcs
W602 x D142 x H165		

5 types of optional tool holders
Total holders = upper tray + 2 sets of tool holder racks


ENS-3 CNC Trolley



400kg load capacity



Side tray



Hooks can be applied to side panels.
Refer to P41~P43




4" PU castors

CNC Trolley		
Model No.	Holders	Holders Qty
ENS-312M	BT-30 	51 pcs
ENS-322M	BT-40 	36 pcs
ENS-332M	BT-50 	26 pcs
ENS-362M	HSK-40 	51 pcs
ENS-382M	HSK-63 	26 pcs
W947 x D485 x H876		

5 types of optional tool holders
Total holders = upper tray + 2 sets of tool holder racks

Tool Holder Rack		
Model No.	Holders	Holders Qty
EKBN-21	BT-30 	9 pcs
EKBN-22	BT-40 	9 pcs
EKBN-23	BT-50 	6 pcs
EKBN-26	HSK-40 	9 pcs
EKBN-28	HSK-63 	6 pcs
W659 x D195 x H52		

ENR CNC Trolley



400kg load capacity



A4 document holder



Bottom tray



4" PU castors

CNC Trolley		
Model No.	Holders	Holders Qty
ENR-1218M	BT-30 	80 pcs
ENR-1228M	BT-40 	72 pcs
ENR-1238M	BT-50 	56 pcs
ENR-1268M	HSK-40 	80 pcs
ENR-1288M	HSK-63 	64 pcs
W1047 x D613 x H1585		

5 types of optional tool holders
Total holders = 8 tool holder racks

Tool Holder Rack		
Model No.	Holders	Holders Qty
ENP-21	BT-30 	10 pcs
ENP-22	BT-40 	9 pcs
ENP-23	BT-50 	7 pcs
ENP-26	HSK-40 	10 pcs
ENP-28	HSK-63 	8 pcs
W893 x D142 x H45		



 **DIY Product**

EKA-3MS
W900xD485xH847
KPQ-B x1 set

 **DIY Product**

EKA-301MS
W900xD485xH847
KPQ-B x1 set, Drawer x1 set

 **DIY Product**

EKA-302MS
W900xD485xH847
KPQ-B x1 set, Drawer x2 sets

EKA-305MS
W900xD485xH847
KPQ-B x1 set, Drawer x5 sets

EKA Trolley




400kg load capacity



Side tray



Hooks can be applied to side panels.
Refer to P41~P43



Adjustable shelf



Stainless steel handle



EKA-3M

W900xD485xH847

KPQ-B x1 set

Top Cover




For EKA-3M trolley



EKA-P03

W709xD452xH68

EKB Trolley



Model No.	EKB-3M	EKB-308M	EKB-316M
Dimensions	W850xD485xH853		
Color			
Items included	KPQ-B x1 set	KPQ-B x1 set, EKB-P02 x1 set	KPQ-B x1 set, EKB-P02 x2 sets




Model No.	EKB-3AM	EKB-308AM
Dimensions	W850xD485xH853	
Color	(Trolley) / (Steel drawer)	
Items included	KPQ-B x1 set, EKB-P05 x1 set	KPQ-B x1 set, EKB-P02 x1 set, EKB-P05 x1 set

Top Cover



Drawer Set



Steel Drawer Set



Unit of measurement : mm

Tilt Out Bins Cart



4"x2"PU castors

KG 400kg load capacity



PC material with transparent drawers.
Refer to P50



Shelves are optional



Bottom tray

Pro



Tilt Out Bins (Qty)			
Model No.	S	M	L
EKC-333M	144	—	—
EKC-332M	96	32	—
EKC-331M	96	—	16
EKC-322M	48	64	—
EKC-321M	48	32	16
EKC-311M	48	—	32
EKC-222M	—	96	—
EKC-221M	—	64	16
EKC-211M	—	32	32
EKC-111M	—	—	48

W786xD570xH1640

Standard



Tilt Out Bins (Qty)			
Model No.	S	M	L
EKC-330M	96	—	—
EKC-320M	48	32	—
EKC-310M	48	—	16
EKC-220M	—	64	—
EKC-210M	—	32	16
EKC-110M	—	—	32

W786xD570xH1640

Bottom tray : W580xD530

Standard

With shelves



Standard

With a row of hanging bins



Standard

With 3 rows of hanging bins




Shelf EKC-P02

W630xD230xH40

Loading : 50kg

Hanging Bin (Single-sided)

	Model No.	Qty	Case hanger Qty
1 row	TKI-8304	4 pcs	1 pc
	TKI-8305	4 pcs	1 pc
	TA-115	4 pcs	1 pc
3 rows	TKI-8301	6 pcs/row	3 pcs
	TKI-8302	6 pcs/row	3 pcs
	TKI-8303	6 pcs/row	3 pcs
	TA-112	5 pcs/row	3 pcs



Hanging bin Refer to P51

Unit of measurement : mm



Mould Rack

Features ▼



Adjustable
pull-out shelf




Safety pin



Omni ball transfer unit
provides smooth movement

Specification ▼



MB-206

W2116xD704xH2000

Column x2
Pull-out shelf x6



MB-208

W2116xD704xH2000

Column x2
Pull-out shelf x8



MB-309

W3116xD704xH2000

Column x3
Pull-out shelf x9



MB-312

W3116xD704xH2000

Column x3
Pull-out shelf x12



MB-2061

W2116xD845xH2385

Column x2
Pull-out shelf x6
Hoist rail x1 set



MB-2081

W2116xD845xH2385

Column x2
Pull-out shelf x8
Hoist rail x1 set



MB-3091

W3116xD845xH2385

Column x3
Pull-out shelf x9
Hoist rail x1 set



MB-3121

W3116xD845xH2385

Column x3
Pull-out shelf x12
Hoist rail x1 set



Hanger Rack



With leveler screws

KG Loading : 45kg / drawer



Shelves are optional



Adjustable divider
100% extension



Perforated board can
be used with all
Tanko hangers.
Refer to P41~P43



DA-31

W1013xD496xH1663

Divider x2 / drawer



DA-32

W1013xD496xH1663

Divider x2 / drawer



DB-31

W1013xD496xH1663

Divider x2 / drawer



DB-32

W1013xD496xH1663


Divider x2 / drawer



DC-31

W1013xD496xH1663

Divider x2 / drawer



DC-32

W1013xD496xH1663

Divider x2 / drawer



For DB display stand

DP-01A

W996xD316xH41

Loading : 50kg / shelf



For DC display stand

DP-01B

W996xD416xH41

Loading : 50kg / shelf



PU castors with total

With leveler screws

KG 250kg load capacity



KP-17 shelf is optional.
Refer to P43



Hooks can be applied to perforated boards.
Refer to P41~P43




Hanging bin can be applied to louvred boards.
Refer to P51



Perforated board color: red, blue, white, gray and black are available.

Specification ▼



R : Independent type
L : Linkable type
M : Mobile type

2 : 2 boards / side
3 : 3 boards / side
4 : 4 boards / side

K R - 1 4 4 0




1 : Single-sided
2 : Double-sided

of louvred board

of perforated board

Unit of measurement : mm

Independent Type / Linkable Type



Single-sided

Independent Model No.	KR-1303	KR-1312	KR-1321	KR-1330
Linkable Model No.	KL-1303	KL-1312	KL-1321	KL-1330
Color	●	●	●	○ ● ● ● ●
Perforated board (Qty)	—	1	2	3
Louvred board (Qty)	3	2	1	—

Double-sided

Independent Model No.	KR-2306	KR-2324	KR-2342	KR-2360
Linkable Model No.	KL-2306	KL-2324	KL-2342	KL-2360
Color	●	●	●	○ ● ● ● ●
Perforated board (Qty)	—	2	4	6
Louvred board (Qty)	6	4	2	—



Single-sided

Independent Model No.	KR-1404	KR-1413	KR-1422	KR-1431	KR-1440
Linkable Model No.	KL-1404	KL-1413	KL-1422	KL-1431	KL-1440
Color	●	●	●	●	○ ● ● ● ●
Perforated board (Qty)	—	1	2	3	4
Louvred board (Qty)	4	3	2	1	—

Double-sided

Independent Model No.	KR-2408	KR-2426	KR-2444	KR-2462	KR-2480
Linkable Model No.	KL-2408	KL-2426	KL-2444	KL-2462	KL-2480
Color	●	●	●	●	○ ● ● ● ●
Perforated board (Qty)	—	2	4	6	8
Louvred board (Qty)	8	6	4	2	—

Mobile Type




Double-sided

Model No.	KM-2204	KM-2222	KM-2240
Color	●	●	○ ● ● ● ●
Perforated board (Qty)	—	2	4
Louvred board (Qty)	4	2	—




Double-sided

Model No.	KM-2306	KM-2324	KM-2342	KM-2360
Color	●	●	●	○ ● ● ● ●
Perforated board (Qty)	—	2	4	6
Louvred board (Qty)	6	4	2	—



Perforated Board

Perforated Board




#304 stainless steel

Model No.	Dimensions	Color
KQ-306AS	W900xH450	Stainless steel
KQ-306A	W900xH450	
KQ-308A	W1200xH450	
KQ-310A	W1500xH450	
KQ-312A	W1800xH450	
KQ-314A	W2100xH450	● ● ● ● ●
KQ-408A	W1200xH600	
KQ-410A	W1500xH600	
KQ-412A	W1800xH600	
KQ-414A	W2100xH600	

Can be installed onto wall, and be used with all tanko hangers. P41~P43

Louvre Board




Can be installed onto wall, and be used with hanging bin. P51

KH-306A
W900xH450
●

Stainless Steel Hooks


PATENTED **5kg load capacity**



Hooks set

KPQ-C

KP-7203 x3 . KP-7108 x2
KP-7604 x1 . KP-7308 x1
KP-7502 x1 . KP-7506 x1
KP-7510 x1



Stainless steel

V hook

KP-7203

L30



10 pcs



L hook

KP-7108

L80



10 pcs



Closed end hook-S

KP-7604

W40xD30



10 pcs



Loop hook-S

KP-7502

Ø20



10 pcs



Loop hook-M

KP-7506

Ø60



10 pcs



Loop hook-L

KP-7510

Ø100



10 pcs



Closed end hook-L

KP-7308

W80xD40xH40



10 pcs

Perforated Board Accessories

Plastic Hooks



Single hook-S

KP-6101

W17xD55xH52

Loading : 2kg

20 pcs



Single hook-M

KP-6102

W17xD75xH52

Loading : 2kg

10 pcs



U hook

KP-6103

W46xD48xH52

Loading : 2kg

6 pcs



Spring clips

KP-6104

W25xD55xH52

Loading : 2kg

10 pcs



Hooks set

KPQ-B

KP-6101 x6

KP-6102 x4

KP-6103 x1

KP-6104 x1




Wrench holder

KP-6109

W120xH220

1 pc



Double hook-L

KP-6208

W65xD105xH60

Loading : 4kg

10 pcs



Single hook-L

KP-6308

W50xD100xH60

Loading : 4kg

10 pcs

Metal Hooks



Single hook

KP-3305

L50

Loading : 6kg

10 pcs



Double hook

KP-3405

L50

Loading : 6kg

10 pcs



Single hook

KP-3108

L80

KP-3112

L120

KP-3116

L160


Loading : 6kg

KP-3130

L300

Loading : 3kg

10 pcs



Double hook

KP-3208

L80

KP-3212

L120

KP-3216

L160

Loading : 6kg

KP-3230

L300

Loading : 3kg

10 pcs



Loop hook

KP-3502

Ø20

KP-3503

Ø30



KP-3506

Ø60

KP-3510

Ø100

Loading : 6kg

10 pcs



U hook

KP-3805

L50

KP-3810

L100

Loading : 6kg

10 pcs



Semicircle hook

KP-3705

L50

KP-3709

L90

Loading : 6kg

10 pcs

Hangers



Drill holder

KP-4120	KP-4114
L390	
Ø5x8 . Ø8x7 . Ø13x5	Ø14x6 . Ø19x4 . Ø22x4
20 holes	14 holes
1 pc	



Screwdriver holder

KP-4213
L390
Ø8x7 . Ø10x6
13 holes
1 pc



T handle holder

KP-4504
W88xD110xH62
4 T handles
1 pc



Monitor arm

KP-4802
W134xD(125~475)xH216 mm
VESA 75x75 / 100x100
Loading: 5kg (Work with all tanko panel)
5-12kg (Work with professional or heavy duty workbench)
Fits most of 27" displays

Left and right $\pm 180^\circ$
Up and down $\pm 30^\circ$



Hanging bin set

KPQ-4306	KPQ-4307
L456	L608
TK-8722 (W148xD74xH45) x2	TK-8722 (W148xD74xH45) x2
TK-8723 (W148xD148xH45) x2	TK-8723 (W148xD148xH45) x3
1 set	



Clip holder


KP-4418
L430
18 clips
1 pc



Hanging bin set

KPQ-4301	KPQ-4302	KPQ-4303	KPQ-4304	KPQ-4305
L420				
TKI-8301 x4 W105xD110xH50	TKI-8302 x4 W105xD140xH75	TKI-8303 x4 W105xD190xH75	TKI-8304x3 W140xD220xH124	TKI-8305 x3 W140xD270xH125
● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●	● ● ● ●
1 set				

Hanging bin refer to P51



Bottle holder

KP-4604
W390xD90xH85
4 bottles
1 pc



Bin hanger

KP-4300
12 pcs
Suitable for all tanko hanging bin
Hanging bin Refer to P51



Shelf

KP-17
W900xD300
Loading : 50kg
1 set



Tray

KP-4701
W250xD100xH60
○ ●
Loading : 6kg
1 pc

Locker

FBA Locker



Mail slot
For FBA-204W



Tray
For FBA-204W



Combination lock
& label



Adjustable shelf,
30kg load capacity



Cable grommet



Can be used with all tanko
hangers



FBA-202W
W900xD465xH1070
Shelf x2 /unit



FBA-204W
W900xD465xH1070
Shelf x2 /unit
Mail slot x1 /unit
Tray x1 /unit

Unit of measurement : mm

FBF Locker



Adjustable shelf,
30kg load capacity



Closet rod



Can be used with all
tanko hangers



FBB-202

W900xD515xH1800

Closet rod x1 /unit
Shelf x2 /unit



FBB-204

W900xD515xH1800

Closet rod x1 /unit
Shelf x1 /unit



FBB-208

W900xD515xH1800



FBB-303

W900xD515xH1800

Closet rod x1 /unit
Shelf x2 /unit



FBB-306

W900xD515xH1800

Closet rod x1 /unit
Shelf x1 /unit



FBB-309

W900xD515xH1800

Shelf x1 /unit



FBB-312

W900xD515xH1800




FBB-315

W900xD515xH1800



Documents & Parts Cabinet / Bin

Documents Tray



TOA-14

W260xD350xH265

3pcs / pack


Documents Cabinet



PS material



Colored labels



Drawer stop design



	A4L	A4M	A4A
Model No.			
Outer dimensions	W257xD346xH78	W257xD346xH52	W260xD350xH50
Inner dimensions	W251xD327xH72	W251xD327xH46	W245xD320xH46
Material	PS	PS	ABS



A4L-104

W284xD348xH360

Drawer : A4L x4



A4A-106

W284xD348xH360

Drawer : A4A x6



A4L-204P

W586xD348xH380

Drawer : A4L x4



A4M-212

W586xD348xH380

Drawer : A4M x12



A4L-220

W596xD348xH880

Drawer : A4L x20



A4A-345

W880xD348xH880

Drawer : A4A x45



A4M-345

W880xD348xH880

Drawer : A4M x45



A4LM-32418

W880xD348xH1060

Drawer : A4L x24
A4M x18



A4A-345D

W940xD405xH945

Drawer : A4A x45
Handle with lock



A4L-330D


W940xD405xH945

Drawer : A4L x30
Handle with lock

Unit of measurement : mm

Parts Cabinet

TKI Parts Cabinet



Outer dimensions : W120xD240xH70
Inner dimensions : W114xD212xH65

Loading : 10kg PS + ABS	Loading : 10kg ABS	Loading : 6kg PS
----------------------------	-----------------------	---------------------

Each drawer includes one divider.
PS drawers are not suitable for oily items



Outer dimensions : W100xD220xH52
Inner dimensions : W90xD192xH47

Loading : 5kg PS	Loading : 10kg ABS	Loading : 10kg PP (anti-static)
---------------------	-----------------------	------------------------------------

Surface resistance: 10⁴~10⁶ohm

TKI-1



TKI-1308 W450xD242xH650 Drawer : TKI-1 x24	TKI-1412-1 W600xD242xH940 Drawer : TKI-1-1 x48	TKI-1412D-2 W645xD295xH1000 Drawer : TKI-1-2 x48 Handle with lock
---	---	---

TKI-2



TKI-2405 W460xD230xH310 Drawer : TKI-2 x20	TKI-2410-1 W475xD230xH650 Drawer : TKI-2-1 x40	TKI-2515D-9 W645xD295xH1000 Drawer : TKI-2-9 x75 Handle with lock
---	---	---

CEA/CEH Parts Cabinet

CEA



Outer dimensions : W164xD282xH76
Inner dimensions : W151xD253xH72

Loading : 10kg
PS + ABS

Each drawer includes one divider.



CEA-324
W600xD283xH720
Drawer : CEA x24



CEA-330
W600xD283xH880
Drawer : CEA x30



CEA-330D
W640xD340xH925
Drawer : CEA x30
Handle with lock

CEH



Outer dimensions : W120xD238xH70
Inner dimensions : W107xD213xH66

Loading : 10kg
PS + ABS

Each drawer includes one divider.



CEH-324
W450xD240xH650
Drawer : CEH x24



CEH-448
W600xD240xH940
Drawer : CEH x48



CEH-448D
W645xD295xH1000
Drawer : CEH x48
Handle with lock

Unit of measurement : mm

RB Parts Cabinet

 **PATENTED**



TB-1016

Outer dimensions:W160xD450xH117
Inner dimensions:W120xD385xH98

Loading : 10kg

PS + PP

Each drawer includes one divider.



RB-530

W900xD500xH900

Drawer : TB-1016 x30



RB-565

W900xD500xH1800

Drawer : TB-1016 x65

RA Parts Cabinet



RA-1016

Outer dimensions:W168xD415xH115
Inner dimensions:W146xD374xH95

Loading : 10kg

PS + ABS


Each drawer includes one divider.



RA-309

W560XD420xH468

Drawer : RA-1016 x9



RA-515

W900XD420xH468

Drawer : RA-1016 x15



RA-318

W560XD420xH880

Drawer : RA-1016 x18



RA-530

W900XD420xH880

Drawer : RA-1016 x30



RA-560

W900XD420xH1760

Drawer : RA-1016 x60

Tilt Out Bin / Team Case

Tilt Out Bin

 **PATENTED**



PC bins are suitable for oily items.
50° tilt out angle.



Can be applied to perforated boards with optional clips.



Bins are removable for easy access, refilling and cleaning.



TC-111
W300xD98xH113
Drawer : W274xD62xH70
Loading : 5kg
12 pcs / CTN
with colored labels




TC-112
W300xD98xH113
Drawer : W126xD62xH70
Loading : 3kg
12 pcs / CTN
with colored labels



TC-113
W300xD98xH113
Drawer : W77xD62xH70
Loading : 2kg
12 pcs / CTN
with colored labels

Team Case

PS drawers are not suitable for oily items



TKI-301
W128xD195xH86
Drawer : W111xD168xH75
12 pcs / CTN
with colored labels

TKI-302
W128xD195xH86
Drawer : W111xD168xH35
12 pcs / CTN
with colored labels

TKI-304
W128xD195xH86
Drawer : W50xD168xH35
12 pcs / CTN
with colored labels

Team Bin / Hanging Bin

TA Team Bin


 **PATENTED**



Streamline shape



Side link slots



Supporting poles



Colored labels



Hanger function



Model No.	TA-112	TA-115	TA-120	TA-154	TA-155
Outer dimensions	W123xD180xH77	W153xD250xH127	W203xD350xH157	W203xD450xH180	W303xD450xH180
Inner dimensions	W94xD133xH69	W119xD191xH119	W153xD276xH149	W148xD367xH172	W248xD367xH172
Loading	3kg (hanger) / 15kg	5kg (hanger) / 20kg	30kg	30kg	50kg
Items included	Supporting poles, labels				
Color	  				
Qty	50 pcs / CTN	36 pcs / CTN	18 pcs / CTN	12 pcs / CTN	8 pcs / CTN
Note	Has hanger function	—	—	Can be assembled with TA-155	Can be assembled with TA-154

TKI Hanging Bin



Model No.	TKI-8301	TKI-8302	TKI-8303	TKI-8304	TKI-8305
Outer dimensions	W105xD110xH50	W105xD140xH75	W105xD190xH75	W140xD220xH124	W140xD270xH125
Inner dimensions	W86xD78xH45	W86xD100xH70	W86xD150xH70	W115xD151xH118	W115xD201xH118
Loading	3kg	4kg	4kg	10kg	10kg
Items included	Labels				
Color	  	   	  	   	  
Qty	24 pcs / CTN	24 pcs / CTN	24 pcs / CTN	12 pcs / CTN	12 pcs / CTN

Has hanger function.  Black : PP (anti-static)

Unit of measurement : mm

Tanko Enterprise Co., Ltd.

Tel +886-905-256-188

Web www.tanko.com.tw

E-mail intl@tanko.com.tw

Taipei

No.1, Guanghua Rd., Sanchong Dist.,
New Taipei City 24158, Taiwan (R.O.C.)

Taichung

No.10, Gongyequ 2nd Rd., Xitun Dist.,
Taichung City 40767, Taiwan (R.O.C.)

